

MASSDOT BENCH MARK:

PK FND 80652

N2982263.073 E684685.815 STA. 29+03.05 5.74' LT

EL. 191.978'

REBAR CAP 90000 N2982228.720 E684648.018

STA. 28+70.78 45.33' LT

EL. 190.533'

ELEVATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988.

MASSDOT SURVEY NOTEBOOKS:

COPIES OF ELECTRONIC SURVEY FILES MAY BE OBTAINED FROM THE MASSACHUSETTS DEPARTMENT OF TRANSPORTATION — HIGHWAY DIVISION.

SCALES

SCALES NOTED ON THE PLANS ARE NOT APPLICABLE TO REDUCED SIZED PRINTS. DIVIDE SCALES BY 2 FOR HALF-SIZE PRINTS (A3).

FOUNDATIONS:

FOUNDATIONS MAY BE ALTERED, IF NECESSARY, TO SUIT CONDITIONS ENCOUNTERED DURING CONSTRUCTION, WITH THE APPROVAL OF THE ENGINEER.

UNSUITABLE MATERIAL:

ALL UNSUITABLE MATERIAL SHALL BE REMOVED WITHIN THE LIMITS OF THE FOUNDATIONS OF THE STRUCTURE, AS DIRECTED BY THE ENGINEER.

SEISMIC GROUND SHAKING HAZARD: DESIGN RETURN PERIOD: 1000 YEARS

DESIGN SPECTRA:

As = 0.116

SDS = 0.239SD1 = 0.095

SITE CLASS = D

SEISMIC DESIGN CATEGORY (SDC) = A

ANCHOR BOLTS:

ALL ANCHOR BOLTS SHALL BE SET BY TEMPLATE BEFORE THE CONCRETE IS PLACED.

REINFORCEMENT:

REINFORCING STEEL SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M 31 GRADE 60 (EPOXY COATED). UNLESS OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS, ALL BARS SHALL BE LAPPED AS FOLLOWS:

MODIFICATION CONDITION	#4 BARS	#5 BARS
1. NONE	21"	26"
2. 12" OF CONCRETE BELOW BAR	29"	36"
3. COATED BARS, COVER < 3db, OR	31"	39"
CLEAR SPACING < 6db		
4. COATED BARS, ALL OTHER CASES	25"	31"
5. CONDITION 2. AND 3.	35"	44"
6. CONDITION 2. AND 4.	34"	43"

IF THE ABOVE BARS ARE SPACED 6" OR MORE ON CENTER, THE LAP LENGTH SHALL BE 80% OF THE LAP LENGTH GIVEN ABOVE. ALL OTHER BARS SHALL BE LAPPED AS SHOWN ON THE CONSTRUCTION DRAWINGS.

CONCRETE MIXES:

(1) (2) (3) <u>TO BE USED IN CONSTRUCTION OF:</u>

4000 1½ 565 FOOTINGS, PEDESTAL WALLS, AND WINGWALLS

(1) 28 DAY COMPRESSIVE STRENGTH (PSI)

(2) MAXIMUM AGGREGATE SIZE (INCH)

(3) CEMENTITIOUS CONTENT (POUNDS/C.Y.)

CONTRACTOR DESIGNED OPTION:

THE CONTRACTOR MAY ELECT TO SUBMIT AN ALTERNATIVE DESIGN FOR SUBSTRUCTURE ELEMENTS (FOOTINGS, PEDESTAL WALLS, AND RETAINING WALLS). DRAWINGS AND CALCULATIONS SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL BEFORE FABRICATION OR INSTALLATION OF ANY CONTRACTOR DESIGNED ELEMENTS COMMENCES. IF THE CONTRACTOR PROPOSES PRECAST FOOTINGS, CONSTRUCTION JOINT LOCATIONS SHALL BE STAGGERED A MINIMUM OF 18" FROM PRECAST WALL UNIT CONSTRUCTION JOINTS.

THE DESIGN OF THE PEDESTAL WALL FOOTING AND STEM DETAILED HEREIN IS BASED UPON THE ASSUMED GEOMETRY OF THE ARCH UNITS SHOWN. THE CONTRACTOR SHALL PREPARE AND SUBMIT FOR APPROVAL A COMPLETE REDESIGN OF THE PEDESTAL WALL FOOTING AND STEM SHOULD THE GEOMETRY OF THE PRECAST ARCH UNITS VARY FROM THAT SPECIFIED ON THE PLANS.

CONSTRUCTION LOADING:

CONSTRUCTION SURCHARGE LOADING SHALL BE LIMITED TO 350 PSF BEHIND PROPOSED PEDESTAL WALLS AND 260 PSF BEHIND PROPOSED WINGWALLS.

POWDER MILL ROAD CLOSURE:

FOR POWDER MILL ROAD CLOSURE AND DETOUR DETAILS SEE HIGHWAY PLANS.

ANTI-GRAFFITI COATING:

THE CONTRACTOR SHALL APPLY AN ANTI-GRAFFITI CLEAR COATING TO THE EXPOSED CONCRETE PORTIONS OF THE WINGWALLS, PEDESTAL WALLS, AND ARCH THAT WILL NOT CHANGE THE APPEARANCE OF THE STAINED CONCRETE.

EXISTING FOUNDATIONS:

LIMITS OF EXISTING FOUNDATIONS SHOWN ON THESE PLANS IS UNKNOWN. THE CONTRACTOR IS ALERTED THAT THESE FOUNDATIONS MAY STILL EXIST BURIED BEHIND THE EXISTING METAL PIPE CULVERT FILL MATERIAL. PLANS FOR THE EXISTING PIPE CULVERT MAY BE SEEN AT THE OFFICE OF THE BRIDGE ENGINEER, MASSACHUSETTS DEPARTMENT OF TRANSPORTATION, 10 PARK PLAZA, BOSTON, MASSACHUSETTS.

ESTIMATED QUANTITIES (NOT GUARANTEED)

ITEM DESCRIPTION	<u>QUANTITY</u>	<u>UNIT</u>
CULVERT EXCAVATION GRAVEL BORROW FOR BRIDGE FOUNDATION GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES CULVERT STRUCTURE, CULVERT NO. C-19-015 (BQA)	2,670 180 1,530 1	CY CY CY LS

CONCORD

BRUCE FREEMAN RAIL TRAIL PHASE 2C

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		259	328
Р	ROJECT FILE NO. (50518	39

GENERAL NOTES AND ESTIMATED QUANTITIES

MONTH DD, YYYY ISSUED FOR CONSTRUCTION

DATE DESCRIPTION

USE ONLY PRINTS OF LATEST DATE

SHEET 2 OF 9 SHEETS BRIDGE NO. C-19-015 (BQA)

al Submittal (S1) 16-December-20

BORING NOTES:

- 2. BORINGS ARE TAKEN FOR THE PURPOSE OF DESIGN AND SHOW CONDITIONS AT BORING POINTS ONLY, BUT DO NOT NECESSARILY SHOW THE NATURE OF THE MATERIALS TO BE ENCOUNTERED DURING CONSTRUCTION.
- 3. WATER LEVELS SHOWN ON THE BORING LOGS WERE OBSERVED AT THE TIME OF TAKING BORINGS AND DO NOT NECESSARILY SHOW THE TRUE GROUND WATER LEVEL.
- 4. FIGURES IN THE COLUMNS INDICATE NUMBER OF BLOWS REQUIRED TO DRIVE A 13" I.D. SPLIT SPOON SAMPLER 6" USING A 140 POUND WEIGHT FALLING 30".
- 5. BORING SAMPLES ARE LOCATED AT A STORAGE FACILITY LOCATED ON ROUTE 114 (219 WINTHROP AVE.) IN LAWRENCE, MA. THE CONTRACTOR MAY EXAMINE THE SOIL AND ROCK SAMPLES BY CONTACTING THE MASSDOT GEOTECHNICAL SECTION AT 10 PARK PLAZA, BOSTON, MA.
- 6. ALL BORINGS WERE MADE IN MAY, 2015.
- 7. BORINGS WERE MADE BY NEW HAMPSHIRE BORING, INC. OF DERRY, NH UNDER THE GUIDANCE OF NOBIS ENGINEERING, INC.
- 8. THE NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988 IS USED THROUGHOUT.

GROUND	WATER	MONITORI	NG	WELL	MEASUREMENTS
		(BB	-4)		
	DATE			El	_EVATION
5,	/12/20	15			148.0'

GROUND WATER:

THE WATER LEVELS RECORDED IN THE TABLE ARE THOSE MEASURED ON THE DATES GIVEN AND DO NOT NECESSARILY REPRESENT GROUND WATER LEVEL AT TIME OF CONSTRUCTION

	<u>BC</u>	RING B	<u>B-</u>	<u>-3</u>					
Moring Messachweits Forward DOT	NEW HAMPSHIRE P.O. Box	•		Phone: (60 Fax: (603			Boring N	lo. BB-3	
Highway		Derry, NH 03038			E Mail: nhb@nhboring.com			Scale 1" = 5'	
City/Town: Concord	Bridge: C-19-015				Proje	ect File No: 605189	Contract	No: 76859	
Project: Powder Mill Road ov	ver Bruce Freeman Ra	ail Trail *		Date & Time	Sta	ted: 5/12/15 8:00	o am	Total Hours	
Groundwater Depth: 20'+/-	Date & Time:	5/12/15 8:00 am		Date & Time	Con	npleted: 5/12/15	3:00 pm	7	
Coordinates: N 2982233.36	6 E 684704.67	Driller's Name:	Walte	er Hoeckele		Helper's Name: \	William Wa	ılsh	
Ground Elevation: 192.5'	Inspector's Name:	Anthony Leonido		Inspector's	s Co	mpany: Nobis Engir	neering Co	rp. for *	

		l argana		∪	mopoolo	o i tairio.	Allul	ony Leonie	inspector's company, reals Engineering corp. for	
		Sample Number	Depth Range (Feet)			s per 6 Inc Minute Per		Recovery Inches	Field Description	S Cł
EL.190.0		S-1	6" - 2'	9	9	9		10"	ASPHALT 4" Dry, medium dense, brown, FINE TO COARSE SAND, some fine to medium gravel, trace inorganic silt.	
	_	S-2	2' - 4'	8	6	11	15	13"	Dry, medium dense, brown/grey, FINE TO COARSE SAND, some fine gravel, trace inorganic silt.	
	5	S-3	4' - 6'	27	21	6	3	10"	Dry, medium dense, brown, FINE TO COARSE SAND, some fine gravel, trace inorganic silt.	
EL.185.0		S-4	6' - 8'	25	21	19	17	13"	Dry, dense, brown, FINE SAND, some fine to medium gravel, trace inorganic silt.	
		S-5	8' - 10'	21	22	21	25	10"	Moist, dense, brown, FINE TO COARSE SAND and medium gravel, trace inorganic silt.	
	10	S-6	10' - 12'	26	21	21	23	12"	Moist, dense, brown, FINE TO COARSE SAND and fine gravel, trace inorganic silt.	
EL.180.0	_	S-7	12' - 14'	16	13	16	15	11"	Moist, medium dense, brown, FINE TO COARSE SAND, some inorganic silt, trace fine gravel.	
		S-8	14' - 16'	11	12	4	7	7"	Moist, medium dense, brown, FINE TO COARSE SAND and	

medium gravel, trace inorganic silt. EL.175.0 ___ gravel, trace inorganic silt. S-10 18' - 20' some fine gravel, trace inorganic silt. 20 Wet, medium dense, brown, FINE TO COARSE SAND, fine S-11 20' - 22' EL.170.0 ___ S-12 Wet, medium dense, brown, FINE TO COARSE SAND, some fine gravel, trace wood fragments, trace inorganic silt. S-13 24' - 26' 15 15 12 9 Wet, medium dense, brown, FINE TO COARSE SAND, some

fine gravel, some inorganic silt. S-14 26' - 28' 9 8 13 14 10" Wet, medium dense, brown, FINE SAND, trace inorganic sill EL.165.0 ___ 11 10 11 13 10" Wet, medium dense, brown, FINE SAND, trace inorganic silt S-15 28' - 30'

30 EL.160.0 S-16 34' - 36' 12" Moist, medium dense, brown, FINE SAND, trace inorganic 10 EL.155.0 S-17 39' - 41' 12 15 16 22 13" Moist, dense, brown, FINE SAND, trace coarse sand, trace

EL.150.0 45 9" Moist very dense, brown, FINE TO COARSE SAND, some S-18 44' - 46' coarse gravel, trace inorganic silt. EL.145.0 18" Wet, medium dense, brown, FINE TO COARSE SAND, some 15 14 14 15 49' - 51' S-19 fine gravel, trace inorganic silt. 50

> Protective Device - Stand: Box: * Phase II C * Greenman Pederson Inc. Well Depth: ** Safety Hammer Weight: CatHead140lbs | Stick Up Pipe: Screen Pipe: Penetration Resistance (N) Guide: Type of Drill Rig: Dierich D-50 Cohesionless Soils (Sands, Gravels) Cohesive Soils (Silts, Clays) Casing Type: HW Size: 4" Depth: 5 Consistency Penetration Resistance Hammer Weight: 300lbs Fall: 30" Relative Density | Penetration Resistance | 0 - 4 0 - 2 Very Loose Signs: 2 Cones: 10 Arrow-Board: Loose 4 - 10 Soft 2 - 4 Sampler Type: S/S Size: 1 3/8" 10 - 30 Medium Dense Medium Stiff 4 - 8 Automatic Hammer Weight: 30 - 50 Dense 8 - 15 Safety Hammer Weight: ** Very Dense Over 50 Very Stiff 15 - 30 Donut Hammer Weight: Fall: 30" Hard Over 30

Bottom of Exploration = 51'

EL.140.0

EL.195.0

BORING BB-4

Coordinates: N 2982182.22 E 684688.08 Driller's Name: Kenneth Smith Helper's Name: Cody Richards

10"

14' - 16' 8 9 10 12 13" | Moist, medium dense, brown, FINE SAND.

29' - 31' 8 8 10 15 9" Wet, medium dense, brown, FINE SAND.

Soft

Medium Stiff

Stiff

Very Stiff

9' - 11' 6 6 9 8 13" | Moist, medium dense, brown, FINE TO COARSE SAND.

24' - 26' 11 11 14 15 13" Wet, medium dense, brown, FINE TO COARSE SAND, trace

Ground Elevation:170.5' Inspector's Name: Anthony Leonido Inspector's Company: Nobis Engineering Corp. for Greenman Peterson Inc.

Phone: (603)437-1610

E Mail: nhb@nhboring.com

Field Description

Dry, medium dense, brown to dark brown, FINE SAND, trace

Moist, medium dense, brown, FINE SAND, trace fine gravel.

Fax: (603) 437-0034

Encountered BOULDER, roller bit through.

Wet, medium dense, brown, FINE SAND.

Bottom of Exploration = 31'

0 - 2

2 - 4

4 - 8

8 - 15

15 - 30

Over 30

Consistency Penetration Resistance Hammer Weight: 300lbs Fall: 24"

Cohesive Soils (Silts, Clays)

Moist, loose, brown, FINE SAND,

Date & Time: 5/12/15 8:45 am Date & Time Completed: 5/12/15 9:00 am

Boring No. BB-4

Project File No: 605189 Contract No: 76859

Protective Device - Stand: Box:

Well Depth: 30' Solid Pipe: 18'

Stick Up Pipe: 3' Screen Pipe: 15'

Casing Type: NW Size: 3" Depth: 30'

Signs: 2 Cones: 10 Arrow-Board:

Sampler Type: S/S Size: 1 3/8"

Automatic Hammer Weight:

Safety Hammer Weight: 140lbs

Donut Hammer Weight: Fall: 30"

Type of Drill Rig: Mobile B-51

Date & Time Started: 5/11/15 9:00 am Total Hours:

Scale 1'' = 5'

Strata

Changes!

NEW HAMPSHIRE BORING, INC.

P.O. Box 165

Derry, NH 03038

Moving Massachusetts Forward DOT

2'6" - 4'6"

4'6" - 6'6"

19' - 21'

Notes: * Phase II C

Very Loose

Loose

Medium Dense

Dense

Very Dense

EL.170.0₋

EL.165.0 5

EL.160.0 ₁₀

EL.155.0 ₁₅

EL.150.0 20

EL.145.0 ₂₅

EL.140.0 30

BOT.

City/Town: Concord Bridge: C-19-015

Project: Powder Mill Road over Bruce Freeman Rail Trail *

Sample Depth Range Blow Counts per 6 Inches Recovery Number (Feet) Coring Times Minute Per Foot Inches

2 6 6 8

3 3 3 10

10 9 11 13 12"

Changed location; moved boring prior to drilling from N2982182.96, E684697.57 to

Cohesionless Soils (Sands, Gravels)

0 - 4

4 - 10

10 - 30

30 - 50

Over 50

Relative Density | Penetration Resistance

N=Sum of Second and Third 6" Blow Counts

2982182.22, E684688.08 so the monitoring well would not be installed in the middle of

Penetration Resistance (N) Guide:

Terms Used for Second Entry of Descriptions: and = 40-50%, some = 10-40%, trace = 10% or less | Core Barrel Type: Size:

N=Sum of Second and Third 6" Blow Counts

ISSUED FOR CONSTRUCTION MONTH DD, YYYY DESCRIPTION USE ONLY PRINTS OF LATEST DATE

TATE	FED. A	ID PROJ	. NO.	SHEET NO.	TOTAL SHEETS
MA	-			261	328
PI	ROJECT	FILE	NO.	60518	39

BORING LOGS (2 OF 2)

NEW HAMPSHIRE BORING, INC. Phone: (603)437-1610

BORING BB-2

Boring No. BB-2 Moving Massachusetts Forward DOT MASSS DOT Highway Fax: (603) 437-0034 E Mail: nhb@nhboring.com P.O. Box 165 Scale 1" = 5' Derry, NH 03038 City/Town: Concord Bridge: C-19-015 Project File No: 605189 | Contract No: 76859 Project: Powder Mill Road over Bruce Freeman Rail Trail * Date & Time Started: 5/8/15 8:00 am Total Hours: EL.195.0 Groundwater Depth: 20'+/-Date & Time: 5/8/15 3:35 pm Date & Time Completed: 5/8/15 4:00 pm Coordinates: N 2982261.27 E 684674.75 Driller's Name: Ben Cross Helper's Name: Cody Richards Ground Elevation: 191.5' Inspector's Name: Pat Clarke Inspector's Company: Nobis Engineering Corp. for * Sample Depth Range Blow Counts per 6 Inches Recovery University (Feet) Coring Times Minute Per Foot Inches Strata Changes EL.190.0 5 4 7 12 8" Dry, medium dense, brown, FINE TO COARSE SAND, some 6" - 2'6" coarse gravel, trace inorganic silt, trace asphalt fragments. 17 26 32 26 6" Moist, very dense, brown, FINE TO COARSE SAND, some S-2 4' - 6' coarse gravel, some inorganic silt. EL.185.0 ___ S-3 6' - 8' 17" Moist, dense, brown, FINE TO COARSE SAND, some fine to coarse gravel, some inorganic silt, trace asphalt fragments. 26 25 18 25 13" Moist, dense, brown, FINE TO COARSE SAND, some fine to coarse gravel, some inorganic silt, trace asphalt fragments. 8' - 10' 10' - 12' 24 46 45 28 15" Moist, very dense, brown, FINE TO COARSE SAND, some EL.180.0 coarse gravel, trace inorganic silt. 5 7 12 10 12" Moist, medium dense, brown, FINE TO COARSE SAND, 14' - 16' some fine to coarse gravel, some inorganic silt, trace asphalt EL.175.0 — Moist, medium dense, brown, FINE TO COARSE SAND, 16' - 18' some fine gravel, trace inorganic silt, trace asphalt fragments. Moist, medium dense, brown, FINE TO COARSE SAND, some fine gravel, some inorganic silt, some asphalt 18' - 20' Moist, medium dense, brown, FINE TO COARSE SAND, some fine to coarse gravel, trace inorganic silt, some asphalt S-10 22' - 24' Moist, medium dense, black to brown, FINE TO COARSE SAND, some fine to coarse gravel, some inorganic silt. Dry, medium dense, light brown, FINE TO COARSE SAND, trace fine gravel, trace inorganic silt. EL.165.0 — S-12 26' - 28' 13 22 14 16 15" Dry, dense, orange brown, FINE SAND, some coarse gravel S-13 29' - 31' 25 16 14 16 0" No recovery EL.160.0 — S-14 31' - 33' 14 12 12 13 13" Dry. Medium dense, light brown, FINE TO COARSE SAND, trace fine gravel S-15 | 34' - 36' | 11 14 14 14 | 12" | Moist, medium dense, brown, FINE TO COARSE SAND, trace fine gravel. EL.155.0 — S-16 39' - 41' 13 14 16 16 13" Moist, dense, brown, FINE SAND, and coarse sand. EL.150.0 — 44' - 46' 8 11 12 13 12" Moist, medium dense, brown, FINE TO COARSE SAND, 45 some fine gravel, trace inorganic silt. EL.145.0 14" Moist, dense, brown, FINE TO COARSE SAND, some fine to S-18 49' - 51' 50 coarse gravel. EL.140.0 ___ Bottom of Exploration = 51' Protective Device - Stand: Box: Notes: * Phase II C * Greenman Pederson Inc. Well Depth: Solid Pipe: Stick Up Pipe: Screen Pipe: Type of Drill Rig: M-1 ATV Penetration Resistance (N) Guide: Cohesive Soils (Silts, Clays) Cohesionless Soils (Sands, Gravels) Casing Type: HW Size: 3" Depth: 34 Consistency Penetration Resistance Hammer Weight: 140lbs Fall: 30" Relative Density | Penetration Resistance Very Soft Very Loose 0 - 4 Signs: 2 Cones: 12 Arrow-Board: Loose 4 - 10 Soft 2 - 4 Sampler Type: S/S Size: 1 3/8 " 10 - 30 Medium Dense Medium Stiff 4 - 8 Automatic Hammer Weight: 30 - 50 Dense Stiff 8 - 15 Safety Hammer Weight:CatHead140lbs

BORING BB-1

										· · · · · · · · · · · · · · · · · · ·				
O			Moving Massachuset	s Forward DOT		NEW HA	MPSHIRI P.O. Box		RING, INC	Phone: (603)437- Fax: (603) 437-0		Boring N	lo. B	BB-1
Z			117010	Highway Highway			Derry, NH		3	E Mail: nhb@nhbori		Sca	ale 1"	= 5'
FOOTING			Citv/Tow	n: Concord		Bridge:	C-19-015			Project File N	No: 605189	Contract	t No:	76859
9				Powder Mill Ro	oad ov			ail Tra	il *	Date & Time Started		am	Tota	al Hours:
			Groundy	ater Depth: 2	1.7'		Date &	Time:	5/8/15 1:0	Dopm Date & Time Comple	eted: 5/8/15 1	:30 pm		5
Z Z			Coordina	ates: N 29823	13.81	E 68	34690.52	_		`		Donald Pal	mer	
я. 13. с. –			Ground I	Elevation: 169.	5' Ins	spector's I	Name: A	_		Inspector's Compan	•	ering Corp	o. for *	+
SPREAD 167.5	EL.170.0	1	Sample Number	Depth Range (Feet)			s per 6 Inc Minute Per		Recovery Inches	Field Desc	ription			Strata Changes
BOT.			S-1	0' - 2'	3	4	4	8	13"	Dry, loose, brown, FINE SAND gravel.	, trace inorganic	silt, trace	fine	
<u> </u>	_		S-2	2' - 4'	17	21	22	37	20"	Dry, dense, dark brown, FINE	TO COARSE SA	ND and fir	ne	
	EL.165.0							0,		gravel, trace inorganic silt.				4'
	EL. 103.0	—	S-3	4' - 6'	35	42	29	31	14"	Dry, very dense, brown, FINE		ND and fi	ne to	
		5								medium gravel, trace inorgani	silt.			
	EL.160.0													
		10												
			S-4	10' - 12'	11	13	26	25	12"	Moist, dense, brown, FINE TC		D, trace		
										inorganic silt, trace medium gr	avei.			
	EL.155.0													
		15												
			S-5	15' - 17'	14	18	17	29	11"	Moist, dense, brown, FINE TC gravel, trace inorganic silt.	COARSE SANI	D, trace fin	е	
										graver, trace morganic sit.				
	EL.150.0													
		20								I SINE TO	204505 04115			
			S-6	20' - 22'	17	25	25	24	11"	Wet, dense, brown, FINE TO medium gravel, trace inorganic		, and fine t	°	
\sqsubseteq										mediam graver, trace morganis	J Silt.			
	EL.145.0													24'
	-	25												
			S-7	25' - 27'	9	14	20	18	12"	Wet, dense, red/brown, FINE to medium gravel, trace inorga		ND, some	fine	
														27'
										Bottom of Exploration = 27'				
			Notes:	* Phase II C	* Gr	eenman P	Pedersen, I	nc.			Protective De			Box:
											Well Depth: Stick Up Pipe		id Pipe een P	
						Penetrat	tion Resist	ance	(N) Guide	•	Type of Drill			
				Cohesionless S	Soils (S			1	, ,	ve Soils (Silts, Clays)	Casing Type			
				tive Density			esistance	С	onsistenc		_ ~			Fall: 30"
				ery Loose		0 - 4			Very Soft			nes: 8 Ar		
				Loose		4 - 10			Soft	2 - 4				
			Me	dium Dense		10 - 30		I N	/ledium St		Sampler Type Automatic Ha			1 3/8 "
				Dense		30 - 50			Stiff	8 - 15	Safety Hamm		-	lhe
				ery Dense		Over 5		4	Very Stiff		Donut Hamm			
			-	of Second and				<u> </u>	Hard	Over 30				-all: 30"
			ı erms L	sea for Second	⊨ntry	of Descrip	tions: and	= 40-5	50%, some	= 10-40%, trace = 10% or less	Core Barrel	ı ype:	Size	9:

NOTE:

FOR BORING NOTES, SEE SHEET 3

Very Dense

N=Sum of Second and Third 6" Blow Counts

Over 50

Very Stiff


Hard


15 - 30


Over 30


Donut Hammer Weight: Fall: 30"


MONTH DD, YYYY ISSUED FOR CONSTRUCTION DESCRIPTION USE ONLY PRINTS OF LATEST DATE












2'-0" PLACED, COMPACTED, THEN EXCAVATED LIMITS OF GRAVEL BORROW 12" @ PEDESTAL WALLS FOR BRIDGE FOUNDATIONS 2'-0" @ WINGWALLS LEVEL FINAL ELEVATION TO BE DETERMINED BY THE RESIDENT ENGINEER ON - EXCAVATE TO SUITABLE GRANULAR MATERIAL NOTES: THE PROJECT 1. $\emptyset = 45^{\circ}$ FOR DEPTH OF 5'-0" OR LESS. $\emptyset = 60^{\circ}$ FOR DEPTH OVER 5'-0". 2. SAME TREATMENT IS TO BE USED AT ENDS OF WALLS.

LIMITS OF GRAVEL BORROW FOR BRIDGE FOUNDATIONS

→ WORKING LINE

NOT TO SCALE

A



STEPPED-UP FOOTING DETAIL

SCALE: $\frac{1}{2}$ " = 1'-0"

CONCORD BRUCE FREEMAN RAIL TRAIL PHASE 2C

266 328

FED. AID PROJ. NO.

PROJECT FILE NO. 605189


MISCELLANEOUS DETAILS



■ M I

<u>SECTION</u>

NOT TO SCALE



NOTES:

- 1. USE MATCHING TEMPLATES FOR THE LOCATION OF REINFORCEMENT AND GROUTED SPLICE COUPLER PLACEMENT WITHIN THE ELEMENTS TO CONTROL THE CRITICAL DIMENSION "C".
- 2. CONSULT MANUFACTURER OF THE GROUTED SPLICE COUPLER FOR PROPER DIMENSIONS "B" AND "D" AND FOR TOLERANCES ON THESE AND ALL
- 3. BEFORE EXECUTING GROUTED SPLICE COUPLER ASSEMBLIES, ALWAYS SEEK INSTALLATION RECOMMENDATIONS FROM THE MANUFACTURER OF THE GROUTED SPLICE COUPLER USED.

GROUTED SPLICE COUPLER DETAILS NOT TO SCALE

GROUTED SPLICE COUPLER TOLERANCES

Α	SHIM PACK HEIGHT	$1\frac{1}{4}$ " $\pm \frac{3}{4}$ "
В	DOWEL HEIGHT	CONSULT MANUFACTURER
О	LOCATION OF REINFORCING, GROUTED SPLICE COUPLER, AND DOWELS MEASURED FROM A WORKING LINE	± ¹ / ₄ "
D	GAP BETWEEN DOWELS AND REINFORCING	CONSULT MANUFACTURER

GROUTED SPLICE COUPLER CRITICAL								
MAXIMUM DIMENSIONS								
BAR SIZE	OUTSIDE DIAMETER (IN.)	LENGTH OF COUPLER (IN.)						
4	2.625	14.125						
5	3.000	14.125						
6	3.000	14.125						
7	3.000	18.75						
8	3.500	18.75						
9	3.500	18.75						
10	3.500	23.5						
11	3.500	23.5						
14	4.000	28.375						
18	5.000	39.625						
•								

WALL SEGMENT ELEVATION ERECTION TOLERANCES TOP FLEVATION FROM NOMINAL TOP FLEVATION 1"

-GROUTED SPLICE COUPLER (TYP.)


L	TOP ELEVATION FROM NOMINAL TOP ELEVATION	<u>1</u> "
М	MAXIMUM PLUMB VARIATION OVER HEIGHT OF PANEL	<u>1</u> "
N	PLUMB IN ANY 10 FEET OF PANEL HEIGHT	<u>1</u> "

WALL SEGMENT FABRICATION TOLERANCES

ELEVATION

NOT TO SCALE

A	LENGTH	± ¹ / ₄ "
В	WIDTH (OVERALL)	土11"
С	DEPTH (OVERALL)	± ¹ / ₄ "
D	VARIATION FROM SPECIFIED PLAN END SQUARENESS OR SKEW	± ¹ / ₂ "
Е	VARIATION FROM SPECIFIED ELEVATION END SQUARENESS OR SKEW	± ¹ / ₂ "
F	SWEEP OVER MEMBER LENGTH	±3"
G	LOCATION OF GROUTED SPLICE COUPLER MEASURED FROM A WORKING LINE	士11"
Н	LOCAL SMOOTHNESS OF ANY SURFACE	±1/4" IN 10 FEET
J	LOCATION OF BLOCKOUT FOR PILES OR VOIDS	N/A
К	MAXIMUM PLUMB VARIATION OVER HEIGHT OF CMP VOID	N/A



PEDESTAL WALL GROUT CONNECTION DETAIL


SCALE: 1" = 1'-0"

MONTH DD, YYYY ISSUED FOR CONSTRUCTION

DATE DESCRIPTION

USE ONLY PRINTS OF LATEST DATE

SHEET 9 OF 9 SHEETS BRIDGE NO. C-19-015 (BQA)



MASSDOT BENCH MARK:

BENCH MARK - REBAR-CAP 80032

N 2990663.04 E 685643.21

STA. 116+11.68 4.52' LT

EL. 132.17'

ELEVATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988.

MASSDOT SURVEY NOTEBOOKS:

COPIES OF ELECTRONIC SURVEY FILES MAY BE OBTAINED FROM THE MASSACHUSETTS DEPARTMENT OF TRANSPORTATION — HIGHWAY DIVISION.

<u>SCALES</u>

SCALES NOTED ON THE PLANS ARE NOT APPLICABLE TO REDUCED SIZED PRINTS. DIVIDE SCALES BY 2 FOR HALF-SIZE PRINTS (A3).

FOUNDATIONS:

FOUNDATIONS MAY BE ALTERED, IF NECESSARY, TO SUIT CONDITIONS ENCOUNTERED DURING CONSTRUCTION, WITH THE APPROVAL OF THE ENGINEER.

UNSUITABLE MATERIAL

ALL UNSUITABLE MATERIAL SHALL BE REMOVED WITHIN THE LIMITS OF THE FOUNDATIONS OF THE STRUCTURE, AS DIRECTED BY THE ENGINEER.

SEISMIC GROUND SHAKING HAZARD: DESIGN RETURN PERIOD: 1000 YEARS

DESIGN SPECTRA:

As = 0.118 SDS = 0.243SD1 = 0.096

SITE CLASS = D

SEISMIC DESIGN CATEGORY (SDC) = A

ANCHOR BOLTS:

ALL ANCHOR BOLTS SHALL BE SET BY TEMPLATE BEFORE THE CONCRETE IS PLACED.

REINFORCEMENT:

REINFORCING STEEL SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M 31 GRADE 60 (EPOXY COATED). UNLESS OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS, ALL BARS SHALL BE LAPPED AS FOLLOWS:

MODIFICATION CONDITION	<u>#4 BARS</u>	<u>#5</u> BAR
1. NONE	21"	26"
2. 12" OF CONCRETE BELOW BAR	29"	36"
3. COATED BARS, COVER < 3db, OR	31"	39"
CLEAR SPACING < 6db		
4. COATED BARS, ALL OTHER CASES	25"	31"
5. CONDITION 2. AND 3.	35"	44"
6. CONDITION 2. AND 4.	34"	43"

6. CONDITION 2. AND 4.

15 THE ABOVE BARS ARE SPACED 6" OR MORE ON CENTER, THE LAP LENGTH SHALL BE 80% OF THE LAP LENGTH GIVEN ABOVE. ALL OTHER BARS SHALL BE LAPPED AS SHOWN ON THE CONSTRUCTION DRAWINGS.

CONCRETE MIXES:

(1)	(2)	(3)	TO BE USED IN CONSTRUCTION OF
4000	1½	565	APPROACH SLABS
4000	3/4	610	ABUTMENT CAPS AND BACKWALLS

- (1) 28 DAY COMPRESSIVE STRENGTH (PSI)
- (2) MAXIMUM AGGREGATE SIZE (INCH)
- (3) CEMENTITIOUS CONTENT (POUNDS/C.Y.)

CONTRACTOR DESIGNED SUPERSTRUCTURE:

THE TRUSS BRIDGE CHORDS ARE TO BE FABRICATED OUT OF STEEL I—BEAMS WITH GUSSET PLATES. STRUCTURAL STEEL TRUSS (INCLUDING CAMBER AND TOP OF FORM ELEVATIONS), IPE TIMBER DECK, BEARINGS, ANCHOR BOLTS, STEEL RAILINGS, AND DECK JOINTS SHALL BE CONTRACTOR DESIGNED IN ACCORDANCE WITH THE 2014 AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS LRFD BRIDGE DESIGN SPECIFICATIONS WITH CURRENT INTERIM SPECIFICATIONS THROUGH 2015 AND THE 2009 AASHTO LRFD GUIDE SPECIFICATIONS FOR THE DESIGN OF PEDESTRIAN BRIDGES, FOR H10 LOADING AND 90 PSF PEDESTRIAN LOADING. STEEL TRUSS SHALL BE GALVANIZED (UNPAINTED) AND STEEL BRIDGE RAIL SHALL BE GALVANIZED AND PAINTED.

THE ABUTMENT BACKWALL DESIGN ASSUMES A TOTAL STEEL TRUSS WEIGHT (INCLUDING IPE DECK) WITHIN A RANGE OF 51 KIPS TO 63 KIPS (SERVICE LOAD). IF THE WEIGHT OF THE CONTRACTOR DESIGNED TRUSS IS NOT WITHIN THE SPECIFIED RANGE, THE BACKWALL DESIGN SHALL BE COMPLETED AND STAMPED BY A PROFESSIONAL ENGINEER REGISTERED IN THE COMMONWEALTH OF MASSACHUSETTS. THE CALCULATIONS PERFORMED SHALL BE SUPPLIED TO THE ENGINEER FOR APPROVAL.

CONSTRUCTION ACCESS RESTRICTION:

THE CONTRACTOR IS DIRECTED TO SUPPLEMENTAL SPECIFICATION SECTION 901.67 FOR RESTRICTIONS OF LOADING ON THE NEWLY CONSTRUCTED BRIDGE AND SECTION 960.61 FOR RESTRICTIONS ON THE REMOVAL OF FALSEWORK DURING ERECTION OF THE TRUSS. ANY LOADING EXCEEDING THE DESIGN LOADING SHALL BE RESTRICTED FROM TRAVELING OVER THE BRIDGE. THE CONTRACTOR MAY ELECT TO SUBMIT CALCULATIONS STAMPED BY A PROFESSIONAL ENGINEER REGISTERED IN THE COMMONWEALTH OF MASSACHUSETTS TO THE ENGINEER FOR APPROVAL, WHICH DEMONSTRATE THAT CONSTRUCTION LOADS CAN SAFELY TRAVEL OVER THE STRUCTURE.

CONSTRUCTION SURCHARGE RESTRICTION:

DUE TO THE UNKNOWN GEOMETRY OF THE EXISTING SUBSTRUCTURE, THERE SHALL BE NO ADDITIONAL SURCHARGE LOADS APPLIED TO THE SUBSTRUCTURE DURING CONSTRUCTION. THEREFORE, CONSTRUCTION LOADING IS RESTRICTED FROM THE FRONT FACE OF THE EXISTING ABUTMENTS TO A DISTANCE OF 25 FEET ALONG THE BRIDGE APPROACHES.

HYDRAULIC DATA

HYDRAULIC DESIGN DATA

DRAINAGE AREA:	117.8 SQUARE MILES
DESIGN FLOOD DISCHARGE:	2280 CUBIC FEET PER SECOND
DESIGN FLOOD FREQUENCY:	
DESIGN FLOOD VELOCITY:	, , , , , , , , , , , , , , , , , , ,
DESIGN FLOOD ELEVATION:	121.4 FEET. NAVD

BASE (100 YEAR) FLOOD DATA

BASE FLOOD DISCHARGE: 4010 CUBIC FEET PER SECOND BASE FLOOD ELEVATION: 126.2 FEET, NAVD

DESIGN AND CHECK SCOUR DATA

DESIGN SCOUR FLOOD EVENT RETURN FREQUENCY:__25 YEARS CHECK SCOUR FLOOD EVENT RETURN FREQUENCY:__50 YEARS

FLOOD OF RECORD

DISCHARGE:	UNKNOWN
FREQUENCY:	UNKNOWN
MAXIMUM ELEVATION:	
DATE:	AUGUST 1955
HISTORY OF ICE FLOES:	NONE DOCUMENTED IN FIS
EVIDENCE OF SCOUR AND EROSION:	NONE OBSERVED

ESTIMATED QUANTITIES (NOT GUARANTEED)

ITEM DESCRIPTION	<u>QUANTITY</u>	<u>UNIT</u>
BRIDGE EXCAVATION	20	CY
GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES	5	CY
STONE MASONRY WALL IN CEMENT MORTAR	10	CY
STONE MASONRY WALL REMOVED, BRIDGE NO. $C-19-031$ (AOT)	40	CY
CORING AND GROUTING DOWELS	44	EA
BRIDGE SUPERSTRUCTURE, BRIDGE NO. C-19-031 (A0T)	1	LS

CONCORD

BRUCE FREEMAN RAIL TRAIL PHASE 2C

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		268	328
PROJECT FILE NO. 605189			

GENERAL NOTES AND ESTIMATED QUANTITIES


MONTH DD, YYYY ISSUED FOR CONSTRUCTION


DATE DESCRIPTION

USE ONLY PRINTS OF LATEST DATE


SHEET 2 OF 5 SHEETS BRIDGE NO. C-19-031 (AOT)

tructural Submittal (S2) 20-January-2016





VAMAX.-2010031 OL. Brice Ergeman Bail Trail Bhace 26 & 20 Bhace 2C - CONICOBNERISSON DIM



15"

TYPICAL BRIDGE RAIL TRANSITION — ELEVATION


SCALE: $\frac{1}{2}$ " = 1'-0"

LIMIT OF PARTIAL REMOVAL OF

EXIST. STONE MASONRY ABUT. AND BOTTOM OF PROP. ABUT. CAP

- BACK OF PROP. REINF.

CONC. ABUT. CAP



ABUTMENT CAP

LIMITS OF GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES SCALE: $\frac{1}{4}$ " = 1'-0"


ISSUED FOR CONSTRUCTION MONTH DD, YYYY DESCRIPTION DATE USE ONLY PRINTS OF LATEST DATE

CONCORD

271 328

FED. AID PROJ. NO.

PROJECT FILE NO. 605189



EL. 125.76'

IN ACCORDANCE WITH THE 2014 AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO) LRFD BRIDGE DESIGN SPECIFICATIONS, 7TH EDITION WITH CURRENT INTERIM SPECIFICATIONS THROUGH 2015 AND THE 2009 AASHTO LRFD GUIDE SPECIFICATIONS FOR THE DESIGN OF PEDESTRIAN BRIDGES, FOR H10 LOADING AND 90 PSF PEDESTRIAN LOADING.

MASSDOT BENCH MARK: REBAR CAP 80040 N2992379.88 E684672.95 STA. 139+68.89 17.86' RT

ELEVATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988.

MASSDOT SURVEY NOTEBOOKS:

COPIES OF ELECTRONIC SURVEY FILES MAY BE OBTAINED FROM THE MASSACHUSETTS DEPARTMENT OF TRANSPORTATION

- HIGHWAY DIVISION.

SCALES

SCALES NOTED ON THE PLANS ARE NOT APPLICABLE TO REDUCED SIZED PRINTS. DIVIDE SCALES BY 2 FOR HALF-SIZE PRINTS (A3).

FOUNDATIONS:

FOUNDATIONS MAY BE ALTERED, IF NECESSARY, TO SUIT CONDITIONS ENCOUNTERED DURING CONSTRUCTION, WITH THE APPROVAL OF THE ENGINEER.

UNSUITABLE MATERIAL:

ALL UNSUITABLE MATERIAL SHALL BE REMOVED WITHIN THE LIMITS OF THE FOUNDATIONS OF THE STRUCTURE, AS DIRECTED BY THE ENGINEER.

SEISMIC GROUND SHAKING HAZARD:

DESIGN RETURN PERIOD: 1000 YEARS

DESIGN SPECTRA:

As = 0.118 SDS = 0.243SD1 = 0.096

SITE CLASS = D

SEISMIC DESIGN CATEGORY (SDC) = A

ANCHOR BOLTS:

ANCHOR BOLTS FOR TIMBER RAIL FENCE ON BRIDGE SHALL BE POST-INSTALLED.

REINFORCEMENT:

REINFORCING STEEL SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M 31 GRADE 60 (EPOXY COATED). UNLESS OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS, ALL BARS SHALL BE LAPPED AS FOLLOWS:

MODIFICATION CONDITION	<u>#4 BARS</u>	#5 BAF
1. NONE	21"	26"
2. 12" OF CONCRETE BELOW BAR	29"	36"
3. COATED BARS, COVER < 3db, OR	31"	39"
CLEAR SPACING < 6db		
4. COATED BARS, ALL OTHER CASES	25"	31"
5. CONDITION 2. AND 3.	35"	44"
6 CONDITION 2 AND 4	.34"	4.3"

IF THE ABOVE BARS ARE SPACED 6" OR MORE ON CENTER, THE LAP LENGTH SHALL BE 80% OF THE LAP LENGTH GIVEN ABOVE. ALL OTHER BARS SHALL BE LAPPED AS SHOWN ON THE CONSTRUCTION DRAWINGS.

CONCRETE MIXES:

(1) (2) (3) TO BE USED IN CONSTRUCTION OF:

4000 \(\frac{3}{4} \) 610 RESET RAILROAD SWITCH AND SWITCH GEAR (HWY. ITEM)

4000 \(1\frac{1}{2} \) 565 PIPE END IN STONE MASONRY WINGWALL

- (1) 28 DAY COMPRESSIVE STRENGTH (PSI)
- (2) MAXIMUM AGGREGATE SIZE (INCH)
- (3) CEMENTITIOUS CONTENT (POUNDS/C.Y.)

CONSTRUCTION ACCESS RESTRICTION:

THE CONTRACTOR IS DIRECTED TO SUPPLEMENTAL SPECIFICATION SECTION 901.67 FOR RESTRICTIONS OF LOADING ON THE NEWLY RECONSTRUCTED PORTIONS OF THE BRIDGE. ANY LOADING EXCEEDING AN H20 VEHICLE SHALL BE RESTRICTED FROM TRAVELING OVER THE BRIDGE. THE CONTRACTOR MAY ELECT TO SUBMIT CALCULATIONS STAMPED BY A PROFESSIONAL ENGINEER REGISTERED IN THE COMMONWEALTH OF MASSACHUSETTS TO THE ENGINEER FOR APPROVAL, WHICH DEMONSTRATE THAT CONSTRUCTION LOADS CAN SAFELY TRAVEL OVER THE STRUCTURE.

EXISTING BRIDGE DIMENSIONS:

THE EXISTING BRIDGE DIMENSIONS SHOWN ON THE PLANS ARE APPROXIMATE. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL EXISTING BRIDGE DIMENSIONS PRIOR TO CONSTRUCTION.

HYDRAULIC DATA

HYDRAULIC DESIGN DATA

DRAINAGE AREA:	46.8 SQUARE MILES
DESIGN FLOOD DISCHARGE:	780 CUBIC FEET PER SECOND
DESIGN FLOOD FREQUENCY:	10 YEARS
DESIGN FLOOD VELOCITY:	3.6 FEET PER SECOND
DESIGN FLOOD ELEVATION:	115.8 FEET. NAVD

BASE (100 YEAR) FLOOD DATA

BASE FLOOD DISCHARGE:_______1600 CUBIC FEET PER SECOND BASE FLOOD ELEVATION:______123.8 FEET, NAVD

DESIGN AND CHECK SCOUR DATA

DESIGN SCOUR FLOOD EVENT RETURN FREQUENCY:__25 YEARS CHECK SCOUR FLOOD EVENT RETURN FREQUENCY:__50 YEARS

FLOOD OF RECORD

DISCHARGE:	UNKNOWN
FREQUENCY:	UNKNOWN
MAXIMUM ELEVATION:	
DATE:	AUGUST 1955
HISTORY OF ICE FLOES:	NONE DOCUMENTED IN NBIS DATABASE
EVIDENCE OF SCOUR AND EROSION:	NONE OBSERVED

ESTIMATED QUANTITIES

(NOT GUARANTEED)

ITEM DESCRIPTION	<u>QUANTITY</u>	<u>UNIT</u>
BLEEDER (BRIDGE DECK) PVC	48	EA
REINFORCED CONCRETE DECK EXCAVATION (FULL DEPTH)	15	SY
REINFORCED CONCRETE DECK EXCAVATION (PARTIAL DEPTH)	3	CY
BALLAST EXCAVATION	160	CY
TIMBER RAIL FENCE ON BRIDGE	160	FT
STONE MASONRY WALL REMOVED AND REBUILT IN CEMENT MORTAR BRIDGE NO. $C-19-032$ (A5R)	15	CY
STEEL REINFORCEMENT FOR STRUCTURES — EPOXY COATED	1000	LB
CLEAN (FULL REMOVAL) AND PAINT STEEL BRIDGE NO. C $-19-032$ (A5R)	1	LS
MEMBRANE WATERPROOFING (SPRAY APPLIED)	325	SY

CONCORD


BRUCE FREEMAN RAIL TRAIL PHASE 2C


STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		273	328
PROJECT FILE NO. 605189			

GENERAL NOTES AND ESTIMATED QUANTITIES

MONTH DD, YYYY ISSUED FOR CONSTRUCTION
DATE DESCRIPTION
USE ONLY PRINTS OF LATEST DATE

SHEET 2 OF 5 SHEETS BRIDGE NO. C-19-032 (A5R)






CONCORD BRUCE FREEMAN RAIL TRAIL PHASE 2C FED. AID PROJ. NO. PROJECT FILE NO. 605189

BRIDGE DETAILS

LIMITS OF CONC. REMOVAL TO L BE DETERMINED BY THE ENGINEER _ - CLEAN EXPOSED REINF. STEEL AND PAINT WITH CORROSION INHIBITING COATING - CONC. PATCH REPAIR - SAWCUT 1" MIN. (TYP.) CLEAN EXPOSED CONC. SURFACES EXIST. CONC. DECK

> CONCRETE DECK FULL DEPTH PATCH REPAIR SCALE: $1\frac{1}{2}$ = 1'-0"




CONCRETE DECK PARTIAL DEPTH PATCH REPAIR SCALE: $1\frac{1}{2}$ = 1'-0"

> ISSUED FOR CONSTRUCTION MONTH DD, YYYY DATE DESCRIPTION USE ONLY PRINTS OF LATEST DATE

276 328

SHEET 5 OF 5 SHEETS BRIDGE NO. C-19-032 (A5R)




CONCRETE PIPE IN STONE MASONRY WALL DETAIL

SCALE: $\frac{1}{2}$ " = 1'-0"

NOTES: 1. SIZE, LOCATION AND QUANTITY OF CONCRETE SPALLS ARE UNKNOWN AND SHALL BE DETERMINED BY THE ENGINEER PRIOR TO COMPLETING PATCH REPAIRS.

2. THE SURFACE OF THE EXIST. OR PREVIOUSLY CAST CONC. SHALL BE BLAST CLEANED, ROUGHENED, WETTED WITH CLEAN WATER, AND THEN FLUSHED WITH A MORTAR COMPOSED OF EQUAL PARTS OF THE CEMENT AND SAND SPECIFIED FOR THE NEW CONC., BEFORE THE NEW CONC IS PLACED ADJACENT THERETO. NEW CONC. SHALL BE PLACED BEFORE THE MORTAR HAS TAKEN INITIAL SET.

3. PATCH REPAIR CONCRETE SHALL BE 4000 PSI, $\frac{3}{4}$ ", 585 HP CEMENT CONC.



CONCRETE DECK PATCH REPAIR-PLAN VIEW

SCALE: 1" = 1'-0"